

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	69	state with directory with server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:33
S2	10	(webpage or "web page") with user with input with (state or cookie)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 08:53
S3	9	(webpage or "web page") with user with input with state	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 08:50
S4	1	((webpage or "web page") with user with input with (state or cookie)) not ((webpage or "web page") with user with input with state)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 08:54
S5	0	state with directory with server same (webpage or "web page")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 10:25
S6	69	state with directory with server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 08:55
S7	0	(state with directory with server) and (webpage or "web page")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 08:55
S8	179	state with server same (webpage or "web page")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 08:56
S9	20	(state with server same (webpage or "web page")) same input	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 08:59
S10	912	user with input with (stor\$6 or sav\$6) with server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 09:32
S11	15	(user with input with (stor\$6 or sav\$6) with server) with state	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 09:06

EAST Search History

S12	71	directory with server with (state or cookie)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 09:30
S13	1	directory with server with (state or cookie) with ((web adj page) or webpage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 09:31
S14	25	user with input with (stor\$6 or sav\$6) with server with ((web adj page) or webpage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 10:06
S15	14	cookie with (stor\$6 or sav\$6) with server with ((web adj page) or webpage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 10:24
S16	300	715/505-508.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 10:40
S17	100	715/505-508.ccls. and (server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 10:25
S18	62	715/505-508.ccls. and (server with stor\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 10:27
S19	11	715/505-508.ccls. and (server with stor\$6 same (webpage or (web adj page)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 10:37
S20	4	"6052710".pn. or "6012083".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 10:37
S21	3	715/505-508.ccls. and pre-filled	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:58
S22	0	715/505-508.ccls. and prefilled	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 10:40
S23	3	715/505-508.ccls. and "pre filled"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 10:40

EAST Search History

S24	3	(715/505-508.ccls. and pre-filled) and (715/505-508.ccls. and "pre filled")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:50
S25	2	"6016083".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:51
S26	2	"6016083".pn. and input	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:51
S27	1	"6012083".pn. and input	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:52
S28	1	"6012083".pn. and (user with input)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:53
S29	246	storing with user with input with server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:56
S30	1312	709/225,229.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:54
S31	1612	715/505-508.ccls. or 709/225,229. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:54
S32	5	(storing with user with input with server) and (715/505-508.ccls. or 709/225,229.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:54
S33	35	(storing with user with input with server) and "300"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:57
S34	1	(storing with user with input with server) and 715/505-508.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:57
S35	3	715/505-508.ccls. and pre-fill\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:58

EAST Search History

S36	3	715/505-508.ccls. and (pre adj fill\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:59
S37	3	715/505-508.ccls. and (pre adj enter\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 11:59
S38	502	LDAP	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 12:10
S39	268	LDAP with server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 12:03
S40	82	LDAP with server with (stor\$6 or sav\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 12:05
S41	2	(LDAP with server with (stor\$6 or sav\$6)) with (webpage or (web adj page))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 12:06
S42	0	LDAP with form with filling	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 12:10
S43	79	server with form with filling	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 12:11
S44	18539	user with input with stor\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 12:13
S45	7	(server with form with filling) and (user with input with stor\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 12:13
S46	14	("5293429" "5297039" "5708780" "5715314" "5724424" "5745681" "5758328" "5793888" "5794207" "5794259" "5832459" "5890139" "5897622" "6088700").PN.	USPAT	OR	ON	2003/06/23 12:36
S47	15	"6199079".URPN.	USPAT	OR	ON	2003/06/23 12:36

EAST Search History

S48	2	"6088700".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 15:48
S49	1	"6088700".pn. and request\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 15:48
S50	28602	"6088700".pn. encrypt\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 16:02
S51	0	"6088700".pn. and encrypt\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 16:02
S52	2	"6088700".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 16:02
S53	0	"6088700".pn. and encrypted	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 16:03
S54	0	"6088700".pn. and (plug adj in)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 16:03
S55	0	"6088700".pn. and (plug-in)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 16:03
S56	0	"6088700".pn. and (plugin)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 16:04
S57	1	"6088700".pn. and (background)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 16:04
S58	270	LDAP with server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 17:14
S59	223	LDAP with server with directory	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 17:14

EAST Search History

S60	44	LDAP with server with directory and fill	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 17:15
S61	86	LDAP with server with "directory server"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 17:15
S62	9	"LDAP server" with "directory server"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 17:15
S63	4	input with encrypted with before with stored	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/24 17:35
S64	38	auto\$8 with fill\$5 with information with user	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 13:39
S65	0	server with background with profile with updat\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:34
S66	155	server with background with application	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:36
S67	20	server with background adj application	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:35
S68	17	(server with background adj application) and @ad<"20000414"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:36
S69	12	server with background with client with upda\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:41
S70	8	(server with background with client with upda\$6) and @ad<"20000414"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:42
S71	39	server with background with (send\$6 or transmit\$6) with stor\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:42

EAST Search History

S72	21	(server with background with (send\$6 or transmit\$6) with stor\$4) and @ad<"20000414"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:56
S73	0	sever with background with request\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:55
S74	115	server with background with request\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:56
S75	42	server with background with request\$5 with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:56
S76	36	(server with background with request\$5 with client) and @ad<"20000414"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:57
S77	2	"5838928".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:57
S78	1	"5838928".pn. and request	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:58
S79	12	background with stor\$6 with profile with server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:58
S80	3	background with stor\$6 with profile with server with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:58
S81	60	send\$6 with instruction with store with server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 13:36
S82	3	send\$6 with instruction with store with input with server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 13:38
S83	0	receiv\$5 with user with store with input with server with background	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 13:38

EAST Search History

S84	93	receiv\$5 with user with store with input with server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 13:42
S85	41	(receiv\$5 with user with store with input with server) and @ad<"20000414"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 13:40
S86	27	receiv\$5 with store with (user adj input) with server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 13:40
S87	15	(receiv\$5 with store with (user adj input) with server) and @ad<"20000414"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 13:42
S88	26	receiv\$5 with user with store with instruction with server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 13:42
S89	13	(receiv\$5 with user with store with instruction with server) and @ad<"20000414"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 13:46
S90	2	instruct\$3 with server with store with user adj input	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 13:47
S91	0	instruct\$3 with server with store with background	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 13:47
S92	2	"6366947".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 14:28
S93	1	"6366947".pn. and background	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 14:51
S94	5	encrypted with (user adj input) with web	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 14:52
S95	2	(encrypted with (user adj input) with web) and @ad<"20000414"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 14:52